

PharmLabs Certificate of Analysis (COA)

Sample **ENDLESS 5T-400-CHERRY**

Sample ID	SD260813-073 (144232)	Matrix	Edible
Tested for	Vitapro		
Received	Aug 13, 2026	Reported	Aug 14, 2026
Analyses executed	1BD, KTM	Unit Mass (g)	3.4
		Num. of Servings	5
		Serving Size (g)	0.68

KTM - Kratom

Analyzed Aug 13, 2026 | Instrument HPLC VWD | Method SOP-KTM

The expanded Uncertainty of the Kratom analysis is approximately $\pm 8.81\%$ at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND
Specioclatine (SPCL)	0.004	0.011	ND	ND	ND	ND



UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected below the limit of quantification
>ULOL Above the upper limit of linearity
mg/g Milligrams per gram
ug/g Micrograms per gram
ug/kg Micrograms per kilogram
EU/mg Endotoxin units per milligram
CFU/g Colony-forming units per gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368
COA version: **V1**
Generated: **Aug 14, 2026 12:08 PM**
PDT



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*Brandon Starr, Quality Assurance Manager
Fri, 14 Aug 2026 12:08:33 -0700

PharmLabs | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368